PILOT









# Note Counting Machines & Paper Shredders



Confidential documents like data sheets, invoices, and log files can be securely destroyed with PILOT paper shredders, preventing sensitive information from falling into the wrong hands. Their advanced cutting ensures documents cannot be reconstructed, making them ideal for homes and small offices.

PILOT's heavy-duty paper shredders reflect strong engineering and reliable performance for demanding use.

PILOT note-counting machines offer fast, accurate counting along with counterfeit detection, providing peace of mind for organizations handling cash.

In a world where fraud is common, these devices deliver trust, security, and efficiency.



## In India, PILOT has established itself as a pioneer in Paper Shredders and Note Counting Machines.

# NOTE COUNTING MACHINES

## PILOT-C10 UV/MG - Manual Value Counter

The PILOT-C10 UV/MG comes with an LCD display, auto start/stop, counting, clearing, batching, adding & self-examination functions. IR (Infrared Ray), UV (Ultraviolet) and MG (Magnetic) sensors automatically identify and detect fake notes, double notes and half notes.



NOTE COUNTING



TECHNICAL DATA

| | |
|---|---|
| Model | PILOT-C10 UV/MG |
| Counting Speed | >1000 notes/min |
| Weight in Kg (approx.) | 5 |
| Power Supply | AC 220V 50-60Hz |
| Power Consumption | 60W |
| Dimensions, mm (HxWxD) | 190 x 250 x 310 |

SUITABLE FOR



Retail Stores



Banking & Financial Institutions



Hospitality & Service Sectors



Corporate & Commercial Offices

## PILOT-CV70 UV/MG/IR - Mixed Value Counter

The PILOT-CV70 UV/MG/IR comes with a dual screen display; front TFT color screen & side LED Screen, auto start/stop, mixed note value counting, clearing, batching, adding & self-examination functions. IR (Infrared Ray), UV (Ultraviolet) and MG (Magnetic) sensors automatically identify and detect fake notes, double notes and half notes.



NOTE COUNTING



TECHNICAL DATA

| | |
|---|---|
| Model | PILOT-CV70 UV/MG/IR |
| Counting Speed | >1000 notes/min |
| Weight in Kg (approx.) | 6 |
| Power Supply | AC220V/50Hz |
| Power Consumption | <75W |
| Dimensions, mm (H,W,D) | 190 x 310 x 290 |


SUITABLE FOR




Retail Stores



Banking & Financial Institutions



Hospitality & Service Sectors



Corporate & Commercial Offices

# PILOT-CBT30 - Bundle Counter

A table top mounted state of the art heavy duty machine equipped with an LED display and feather touch keypad for effortless operation.
A cut-off system for protection against voltage fluctuations and a unique dust removing system which enhances counting accuracy.


NOTE COUNTING



TECHNICAL DATA

| | |
|---|---|
| MODEL | PILOT-CBT30 (Table Top) |
| Counting Mechanism | Vacuum |
| Dimensions (HxWxD) | 240 x 330 x 420 mm |
| Weight (approx.) | 35 kg |
| Counting Speed / 100 Notes | 4 sec. approx. |
| Size Range of Documents (mm) | Min: 45 x 100 Max: 100 x 420 Thickness: 0.04mm x 0.18mm |
| Notes Capacity (max.) | 150 notes |
| Power Consumption | 380 W |
| Power Source | AC 230V 10%; 50Hz |
| Type of Notes | Stapled / Banded |
| Dual LED Display | 4/3 digits |

SUITABLE FOR


Corporate & Commercial Offices


Banking & Financial Institutions


Government Financial Institutions


Transport & Logistics


Religious Establishments

MODES OF OPERATION:

Check Mode – Check nos as per pre-set value
Free Mode – Count all notes placed in stacker
Batch Mode – Count in batches
Stamp Mode – Stamp OK after checking

# PILOT-CBF30 - Bundle Counter

A floor standing state of the art heavy duty machine equipped with an LED display and feather touch keypad for effortless operation.
A cut-off system for protection against voltage fluctuations and a unique dust removing system which enhances counting accuracy.


NOTE COUNTING



TECHNICAL DATA

| | |
|---|---|
| MODEL | PILOT-CBF30 (Floor Standing) |
| Counting Mechanism | Vacuum |
| Dimensions (HxWxD) | 790 x 450 x 300 mm |
| Weight (approx.) | 47 kg |
| Counting Speed / 100 Notes | 4 sec. approx. |
| Size Range of Documents (mm) | Min: 45 x 100 Max: 100 x 420 Thickness: 0.04mm x 0.18mm |
| Notes Capacity (max.) | 150 notes |
| Power Consumption | 380 W |
| Power Source | AC 230V 10%; 50Hz |
| Type of Notes | Stapled / Banded |
| Dual LED Display | 4/3 digits |

SUITABLE FOR


Corporate & Commercial Offices


Banking & Financial Institutions


Government Financial Institutions


Transport & Logistics


Religious Establishments

MODES OF OPERATION:

Check Mode – Check nos as per pre-set value
Free Mode – Count all notes placed in stacker
Batch Mode – Count in batches
Stamp Mode – Stamp OK after checking

# PILOT-2101 - Currency Sorter

Pilot-2101 Currency Sorter is one of world's advanced humanised intelligent design with Light image, IR image, spectrum image, ultraviolet optical characteristics, infrared optical characteristics, fluorescence, metal thread, digital encoding, magnetic characteristics, serial number, multi-point thickness measurement, etc. Identification and control system adopts FPGA+ and multiple DSP structure and multi - core parallel processing. Handles 40,000 or 50,000 banknotes per hour & currencies like USD, EUR, GBP, INR, etc.


NOTE COUNTING



TECHNICAL DATA

| | |
|---|---|
| Available currency | As per your requirement |
| Sorting speed | More than 800pcs/min |
| Hopper capacity | 500pcs |
| Pocket capacity | 200pcs |
| Rejecting bill capacity | 100pcs |
| PC interface | RS-232 serial port. |
| Rated Voltage | 220V (±10%) or as required |
| Frequency | 50Hz(±5%) |
| Power | ≤90 W |
| Rising temperature | ≤20C |
| Appearance dimension | 300 x 300 x 360 (mm) |
| Weight | 18kgs |

SUITABLE FOR


Corporate & Commercial Offices


Banking & Financial Institutions


Government Financial Institutions


Transport & Logistics


Religious Establishments

# PERSONAL PAPER SHREDDERS

## PILOT-08CC

The Pilot-08CC shredder is equipped with the electronic and digital control system, hence is suitable for home & small offices. It is a cross cut shredder and has overheat protection along with an auto start / stop function.



TECHNICAL DATA

| | |
|---|---|
| Feed Opening, mm | 220 |
| Shred width, mm | 4x38 |
| Performance in sheets* | 8 |
| Security Level** | 3 |
| Shred speed, metre/min | 1.8 |
| Power conncetion, Volts | 220 |
| Electrical consumption, Kw | 0.2 |
| Capacity, Litres | 15 |
| Weight in Kg (approx.) | 3.5 |

| | | |
|---|---|---|
| Dimensions, mm (HxWxD) | 393 x 315 x 190 | |
| Photocell Controlled | No | |
| Warranty | 6 Months (Carry in) | |
| Sound Level (Db) | No Load | 57 |
| | Load | 60 |
| Rating (Min) | Working | 5 |
| | Idle | 30 |

*PAPER A4, 70 g/m2 ** As per DIN 32757 standards

SHREDS


Credit Card


Staple Pins


CROSS CUT

## PILOT-12CC

A 12 Sheet Cross-Cut plastic bin paper shredder with automatic start/stop function making it suitable for use in small offices and homes.



TECHNICAL DATA

| | |
|---|---|
| Feed opening, mm | 220 |
| Shred width, mm | 4x33 |
| Performance in sheets* | 12 |
| Security level** | 3 |
| Shred speed, metre/min | 2.7 |
| Power connection, Volts | 220 |
| Electrical consumption, Kw | 0.18 |
| Capacity, Litres | 16.8 |
| Weight in Kg (approx.) | 6.8 |

| | | |
|---|---|---|
| Dimensions, mm (HxWxD) | 456 x 330 x 218 | |
| Photocell controlled | No | |
| Warranty | 12 months (Carry in) | |
| Sound level (Db) | No Load | 66 |
| | Load | 70 |
| Rating (Min) | Working | 3 |
| | Idle | 30 |

*PAPER A4, 70 g/m2 ** As per DIN 32757 standards

SHREDS


Paper


Credit Card


CDs


U-Pins


Staple Pins


CROSS CUT

# DESKSIDE OFFICE SHREDDERS

## PILOT-15CC

A 15 Sheet Cross-Cut plastic bin paper shredder with automatic start/stop function. Equipped with features such as overload protection, bin-full warning and overheating notifications making it suitable for use in offices.



TECHNICAL DATA

| | |
|---|---|
| Feed opening, mm | 220 |
| Shred width, mm | 4 x 39 |
| Performance in sheets* | 15 |
| Security level** | 3 |
| Shred speed, metre / min | 1.8 |
| Power connection, Volts | 220 |
| Electrical consumption, Kw | 0.18 |
| Capacity, Litres | 26 |
| Weight in Kg (approx.) | 14 |

| | | |
|---|---|---|
| Dimensions, mm (HxWxD) | 534 x 376 x 286 | |
| Photocell controlled | Yes | |
| Warranty | 12 months (On site) | |
| Sound level (Db) | No Load | 73 |
| | Load | 75 |
| Rating (Min) | Working | 5 |
| | Idle | 30 |

*PAPER A4, 70 g/m2 ** As per DIN 32757 standards

SHREDS


Paper


Credit Card


CDs


U-Pins


Staple Pins


CROSS CUT

## PILOT-08MC

The Pilot-08MC shredder is equipped with the electronic and digital control system, hence is suitable for offices. It is a micro cut shredder and has overload & overheat protection along with an auto start / stop function.



TECHNICAL DATA

| | |
|---|---|
| Feed Opening, mm | 220 |
| Shred width, mm | 2x13 |
| Performance in sheets* | 8 |
| Security Level** | 4 |
| Shred speed, metre/min | 1.6 |
| Power conncetion, Volts | 220 |
| Electrical consumption, Kw | 0.19 |
| Capacity, Litres | 20 |
| Weight in Kg (approx.) | 7.9 |

| | | |
|---|---|---|
| Dimension, mm (HxWxD) | 496 x 352 x 262 | |
| Photocell Controlled | Yes | |
| Warranty | 12 months (On site) | |
| Sound Level (Db) | No Load | 55 |
| | Load | 58 |
| Rating (Min) | Working | 10 |
| | dle | 50 |

*PAPER A4, 70 g/m2 ** As per DIN 32757 standards

SHREDS


Credit Card


CDs


Staple Pins


MICRO CUT

# DESKSIDE OFFICE SHREDDERS

## PILOT-16CC

A magnificently designed 16 Sheet Cross-Cut paper shredder with automatic start/stop function. Equipped with electronic and digital control systems along with features such as idle mode (sleep mode) for low power consumption, overload protection, bin-full warning and overheating notifications making it suitable for use in offices.


CROSS CUT



TECHNICAL DATA

| | |
|---|---|
| Feed opening, mm | 220 |
| Shred width, mm | 3.9x 38 |
| Performance in sheets* | 16 |
| Security level** | 3 |
| Shred speed, meters/min | 2.23 |
| Power connection, Volts | 220 |
| Electrical consumption, Kw | 210 (0.21) |
| Capacity, Litres | 25.6 |
| Weight in Kg | 13 kgs |

| | | |
|---|---|---|
| Dimensions, mm (HxWxD) | 560 x 390 x 280 | |
| Photocell controlled | Yes | |
| Warranty | 12 months (on site) | |
| Sound level (Db) | No Load | 60 |
| | Load | 65 |
| Rating (Min) | Working | 15 |
| | Idle | 20 |

*PAPER A4, 70 g/m2 ** As per DIN 32757 standards

SHREDS


Paper


Credit Card


CDs


U-Pins


Staple Pins

## PILOT-16SC

A magnificently designed 16 Sheet Strip-Cut paper shredder with automatic start/stop function. Equipped with electronic and digital control systems along with features such as idle mode (sleep mode) for low power consumption, overload protection, bin-full warning and overheating notifications making it suitable for use in offices.


STRIP CUT



TECHNICAL DATA

| | |
|---|---|
| Feed opening, mm | 220 |
| Shred width, mm | 3.9 mm |
| Performance in sheets* | 16 |
| Security level** | 2 |
| Shred speed, metre /min | 2.23 |
| Power connection, Volts | 220 |
| Electrical consumption, Kw | 210 (0.21) |
| Capacity, Litres | 25.6 |
| Weight in Kg | 11 kgs |

| | | |
|---|---|---|
| Dimensions, mm (HxWxD) | 560 x 390 x 280 | |
| Photocell controlled | Yes | |
| Warranty | 12 months (on site) | |
| Sound level (Db) | No Load | 60 |
| | Load | 65 |
| Rating (Min) | Working | 15 |
| | Idle | 20 |

*PAPER A4, 70 g/m2 ** As per DIN 32757 standards

SHREDS


Paper


Credit Card


CDs


U-Pins


Staple Pins

# EDP SHREDDERS

## PILOT-25CC

An intelligently designed 25 Sheet Cross-Cut paper shredder with a special dust-proof design and an anti-static system. Enhanced automatic start/stop function where machine stops if bin door is open. Equipped with a semi floating shock absorption system, electronic and digital controls along with features such as idle mode (sleep mode) for low power consumption, overload protection, bin-full warning and overheating notifications making it suitable for use in offices.


CROSS CUT



TECHNICAL DATA

| | |
|---|---|
| Feed opening, mm | 230 |
| Shred width, mm | 3.9 x 38mm |
| Performance in sheets* | 25 |
| Security level** | 3 |
| Shred speed, metre / min | 2.55 |
| Power connection, Volts | 220 |
| Electrical consumption, Kw | 530 (0.53) |
| Capacity, Litres | 34 |
| Weight in Kg (approx.) | 26 |

| | | |
|---|---|---|
| Dimensions, mm (HxWxD) | 640 x 435 x 320 | |
| Photocell controlled | Yes | |
| Warranty | 12 months (on site) | |
| Sound level (Db) | No Load | 55 |
| | Load | 65 |
| Rating (Min) | Working | 30 |
| | Idle | 30 |

*PAPER A4, 70 g/m2 ** As per DIN 32757 standards

SHREDS


Paper


Credit Card


CDs


U-Pins


Staple Pins

# EDP SHREDDERS

## PILOT-31SC

An intelligently designed 31 Sheet Strip-Cut paper shredder with a special dust-proof design and an anti-static system. Enhanced automatic start/stop function where machine stops if bin door is open. Equipped with a semi floating shock absorption system, electronic and digital controls along with features such as idle mode (sleep mode) for low power consumption, overload protection, bin-full warning and overheating notifications making it suitable for use in offices.


STRIP CUT




TECHNICAL DATA

| | |
|---|---|
| Feed opening, mm | 230 |
| Shred width, mm | 3.9mm |
| Performance in sheets* | 31 |
| Security level** | 2 |
| Shred speed, metre / min | 2.23 |
| Power connection, Volts | 220 |
| Electrical consumption, Kw | 530 (0.53) |
| Capacity, Litres | 34 |
| Weight in Kg (approx.) | 24.5 |

| | | |
|---|---|---|
| Dimensions, mm (HxWxD) | 640 x 425 x 320 | |
| Photocell controlled | Yes | |
| Warranty | 12 months (on site) | |
| Sound level (Db) | No Load | 55 |
| | Load | 65 |
| Rating (Min) | Working | 30 |
| | Idle | 30 |

*PAPER A4, 70 g/m2 ** As per DIN 32757 standards

SHREDS


Paper


Credit Card


CDs


U-Pins


Staple Pins

# HEAVY DUTY SHREDDERS

## PILOT-28CC

A well-built heavy duty 28 Sheet Cross-Cut paper shredder with special dust-proof design and an anti-static system. Enhanced automatic start/stop function where machine stops if bin door is open. Equipped with a semi floating shock absorption system, electronic and digital controls along with features such as idle mode (sleep mode) for low power consumption, overload protection, bin-full warning and overheating notifications making it suitable for use in offices.


CROSS CUT



TECHNICAL DATA

| | |
|---|---|
| Feed opening, mm | 310 |
| Shred width, mm | 4 x 30 |
| Performance in sheets* | 28 |
| Security level** | 3 |
| Shred speed, metre/min | 3.2 |
| Power connection, Volts | 220 |
| Electrical consumption, Kw | 530 (0.53) |
| Capacity, Litres | 80 |
| Weight in Kg (approx.) | 54 |

| | | |
|---|---|---|
| Dimensions, mm (HxWxD) | 895 x 520 x 385 | |
| Photocell controlled | Yes | |
| Warranty | 12 months (On site) | |
| Sound level (Db) | No Load | 55 |
| | Load | 65 |
| Rating (Min) | Working | 60 |
| | Idle | 30 |

*PAPER A4, 70 g/m2 ** As per DIN 32757 standards

SHREDS


Paper


Credit Card


CDs


U-Pins


Staple Pins

## PILOT–38SC

A well-built heavy duty 38 Sheet Strip-Cut paper shredder with special dust-proof design and an anti-static system. Enhanced automatic start/stop function where machine stops if bin door is open. Equipped with a semi floating shock absorption system, electronic and digital controls along with features such as idle mode (sleep mode) for low power consumption, overload protection, bin-full warning and overheating notifications making it suitable for use in offices.


STRIP CUT



TECHNICAL DATA

| | |
|---|---|
| Feed opening, mm | 310 |
| Shred width, mm | 4 |
| Performance in sheets* | 38 |
| Security level** | 2 |
| Shred speed, metre/min | 3.2 |
| Power connection, Volts | 220 |
| Electrical consumption, Kw | 530 (0.53) |
| Capacity, Litres | 80 |
| Weight in Kg (approx.) | 54 |

| | | |
|---|---|---|
| Dimensions, mm (HxWxD) | 895 x 520 x 385 | |
| Photocell controlled | Yes | |
| Warranty | 12 months (On site) | |
| Sound level (Db) | No Load | 55 |
| | Load | 65 |
| Rating (Min) | Working | 60 |
| | Idle | 30 |

*PAPER A4, 70 g/m2 ** As per DIN 32757 standards

SHREDS


Paper


Credit Card


CDs


U-Pins


Staple Pins

**PBM Automation Private Limited**
24, Sona Udyog, Parsi Panchayat Road, Andheri (East), Mumbai 400 069 INDIA • WhatsApp: +91 9930347000
Tel: 91 22 660 47 000 • E-mail: info@pilotindia.com • www.pilotindia.com
pilotindiagroup pilotindiagroup @pilotindiagroup pilot-india-group pilotindiagroup